



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/933,684	08/20/2001	William Chun	06816-073003	7123

20985 7590 01/23/2006

FISH & RICHARDSON, PC
P.O. BOX 1022
MINNEAPOLIS, MN 55440-1022

EXAMINER

MUSSER, BARBARA J

ART UNIT	PAPER NUMBER
----------	--------------

1733

DATE MAILED: 01/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/933,684

Applicant(s)

CHUN ET AL.

Examiner

Barbara J. Musser

Art Unit

1733

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 October 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☐ Claim(s) 3-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 3-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 3, 8, 9, 14-17, and 20 are rejected under 35 U.S.C. 103(a) as being obvious over Harada(U.S Patent 5,399,184) in view of Prakash et al.(U.S. Patent 6,444,343) and Naranyanan et al.

Harada discloses forming a membrane electrode assembly by depositing a catalyst directly on both sides of a membrane.(Col. 3, ll. 61-64; Col. 7, ll. 67-69) The membrane is then stacked with conventional carbon sheets to form a fuel cell.(Col. 9, ll. 8-10) They are bonded via hot pressing.(Col. 10, ll. 22-31) The catalyst can contain platinum.(Col. 6, ll. 45-46)

The reference does not disclose treating the membrane with a pre-treating agent which reduces wrinkling prior to applying the catalyst. Prakash et al. discloses swelling a membrane used in fuel cells using a pre-treating agent prior to applying the catalyst since such swelling improves the interfacial contact of the membrane reducing the amount of catalyst needed.(Col. 12, ll. 22-35) The reference does not disclose the solvent the membrane is swollen in. Naranyanan et al. discloses soaking a membrane in a mixture of iso-propanol and water to swell the membrane so that it better accepts the catalyst layer.(Col. 4, ll. 54-56) It would have been obvious to one of ordinary skill in

Art Unit: 1733

the art at the time the invention was made to form a swelled membrane by treating the membrane with a pre-treating agent since such swelling improves the interfacial contact of the membrane reducing the amount of catalyst needed(Col. 12, ll. 22-35) and to use a mixture of water and isopropanol as the pre-treating agent since Naranyanan et al. discloses this mixture can swell the membrane to a desired degree such that a catalyst layer can be transferred to it(Col. 4, ll. 52-58) and since Prakash et al. is silent as to the material used to swell the membrane. While the reference does not disclose that such a mixture reduces wrinkling of the membrane when the catalyst is applied, applicant uses the same mixture with approximately the same ranges(per claim 15) to achieve a reduction and wrinkling and therefore one in the art would expect that when the mixture of Naranyanan et al. is used in the membrane the mixture would achieve the same result, namely reducing swelling of the membrane on contact with the catalyst.

Regarding claim 15, Naranyanan et al. discloses using a mixture of 10% isopropanol and 90% water to soak the membrane.(Col. 4, ll. 52-58)

Regarding claim 16, Harada discloses the catalyst load is $0.04\text{--}4.0\text{ mg/cm}^2$.(Col. 8, ll. 17-18)

Regarding claims 18 and 19, Harada et al. does not specifically disclose drying the catalyst via controlled evaporation. Naranyanan et al. discloses allowing the catalyst to dry out slowly at a pre-determined rate to form a uniformly coated layer.(Col. 4, ll. 24-29) It would have been obvious to one of ordinary skill in the art at the time the invention was made to control the evaporation of the liquid from the catalyst to allow the catalyst to dry out to a uniform layer.(Col. 4, ll. 24-29) While the reference does not

explicitly state the evaporation is controlled, it teaches that the evaporation occurs at a pre-determined rate indicating the existence of a device for controlling the evaporation as otherwise it would not occur at a constant pre-determined rate.

Regarding claim 20, Naranyanan et al. discloses the mixture which swells the membrane can be 50% isopropanol(Col. 11, ll. 57-65) and indicates that soaking occurs over a 24 hour period.(Col. 4, ll. 54)

3. Claims 3, 14, 15, and 17-20 are rejected under 35 U.S.C. 103(a) as being obvious over Debe et al.(U.S. Patent 5,910,378) in view of Prakash et al. and Naranyanan et al.

Debe et al. discloses forming a membrane electrode assembly by depositing a catalyst directly on both sides of a membrane and applying a support.(Col. 1, ll. 39-48; Col. 18, ll. 55-560) The layers the then laminated together.(Col. 18, ll. 65-67) The catalyst can contain platinum.(Col. 6, ll. 12-14)

The reference does not disclose swelling the membrane prior to applying the catalyst. Prakash et al. discloses swelling a membrane used in fuel cells prior to applying the catalyst since such swelling improves the interfacial contact of the membrane reducing the amount of catalyst needed.(Col. 12, ll. 22-35) It would have been obvious to one of ordinary skill in the art at the time the invention was made to form a swelled membrane by treating the membrane with a swelling agent since such swelling improves the interfacial contact of the membrane reducing the amount of catalyst needed.(Col. 12, ll. 22-35)

The references cited above do not disclose the solvent the membrane is swollen in. Naranyanan et al. discloses soaking a membrane in a mixture of iso-propanol and water to swell the membrane so that it better accepts the catalyst layer.(Col. 4, ll. 54-56) It would have been obvious to one of ordinary skill in the art at the time the invention was made to use a mixture of water and isopropanol since Naranyanan et al. discloses this mixture can swell the membrane to a desired degree such that a catalyst layer can be transferred to it(Col. 4, ll. 52-58) and since Prakash et al. is silent as to the material used to swell the membrane. While the reference does not disclose that such a mixture reduces wrinkling of the membrane when the catalyst is applied, applicant uses the same mixture to achieve a reduction and wrinkling and therefore one in the art would expect that when the mixture of Naranyanan et al. was used in the membrane the mixture would achieve the same result, namely reducing swelling of the membrane on contact with the catalyst.

Regarding claim 15, Naranyanan et al. discloses using a mixture of 10% isopropanol and 90% water to soak the membrane.(Col. 4, ll. 52-58)

Regarding claims 18 and 19, Debe et al. does not specifically disclose drying the catalyst via controlled evaporation. Naranyanan et al. discloses allowing the catalyst to dry out slowly at a pre-determined rate to form a uniformly coated layer.(Col. 4, ll. 24-29) It would have been obvious to one of ordinary skill in the art at the time the invention was made to control the evaporation of the liquid from the catalyst to allow the catalyst to dry out to a uniform layer.(Col. 4, ll. 24-29) While the reference does not explicitly state the evaporation is controlled, it teaches that the evaporation occurs at a

pre-determined rate indicating the existence of a device for controlling the evaporation as otherwise it would not occur at a constant pre-determined rate.

Regarding claim 20, Naranyanan et al. discloses the mixture which swells the membrane can be 50% isopropanol(Col. 11, ll. 57-65) and indicates that soaking occurs over a 24 hour period.(Col. 4, ll. 54)

4. Claims 4-7 and 10-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Debe et al., Prakash et al., and Naranyanan et al. as applied to claim 3 above, and further in view of Grot(U.S Patent 5,547,911).

The references cited above do not disclose how the catalyst ink is applied to the membrane. Grot discloses catalysts can be applied in a variety of ways including pouring and spraying the ink on the membrane.(Col. 6, ll. 65- Col. 7, ll. 1) It would have been obvious to one of ordinary skill in the art at the time the invention was made to pour or spray the catalyst ink onto the membrane since Debe et al. is silent as to the method of application and since Grot discloses these are well-known methods of applying catalyst to membranes.

Regarding claims 6, 7, 12, and 13, Debe et al. and Prakash et al. do not disclose the catalyst ink composition as having 7-10% catalyst, 60-70% NAFION solution, and 20-30% PTFE-30 diluted to 11% solids. Grot discloses ink compositions are well-known and discloses a conventional one, without disclosing all the specific percentages.(Col. 4, ll. 48-49) Naranyanan et al. discloses a catalyst ink which is used in making fuel cells wherein the ink contains 150 mg catalyst, 60-70% NAFION solution, and 15-20% PTFE-30 diluted to 11% solids.(Col. 4, ll. 1-5) It would have been obvious to one of ordinary

skill in the art at the time the invention was made to use the catalyst ink composition of Narayanan et al. since Grot discloses any conventional ink composition may be used and since the ink of Narayanan et al. appears to be conventional.

Response to Arguments

5. Applicant's arguments filed 10/26/05 have been fully considered but they are not persuasive.

Regarding applicant's argument that the references do not disclose reducing the wrinkling of the membrane when the catalyst is applied, the references use the same pre-treating agent as applicant, and therefore would have the same result, namely reducing wrinkling of the membrane when the catalyst is applied. It is noted that the claim does not require actual reduction of wrinkling, but rather only that a pre-treating agent which causes such be used.

While the references do not suggest the pre-treating agent would reduce wrinkling, it is an effect of the type of material used. The fact that the reference does not state that reduction of wrinkling occurs does not mean that it does not. When the prior art material performing the function is the same as that described in the specification for performing the function, it can be assumed the prior art material will perform the same function.(MPEP 2112.02)

Regarding applicant's argument that the concepts of Narayanan are very different from those of the claims, while Narayanan et al. is directed to swelling the membrane for application of a decal, it teaches a solution which swells the membrane.

Since Prakash et al. discloses swelling the membrane to improve the interfacial contact, one would look to other references to find a material which would swell the membrane, which the material of Narayanan et al. does.

In response to applicant's argument that the references do not teach using the water/iso-propanol mixture to reduce wrinkling, the fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985).

Regarding applicant's argument that simply because a material would inherently have an effect does not make it obvious to use it for that effect in another reference, examiner agrees. However, examiner is not using the material for that effect. The collective teachings of those in the art show that swelling the membrane would reduce the amount of catalyst needed and would increase the interfacial contact and that using a mixture of water and iso-propanol would improve bonding of the catalyst to the membrane independent of the property of reducing wrinkling also caused by the water/iso-propanol mixture. The mixture of iso-propanol and water is being used to cause the membrane to better accept the catalyst. While it is acknowledged that the reference does not teach using the mixture of iso-propanol and water to reduce wrinkling, it also has the same effect of reducing wrinkling. The fact that a material would inherently have an effect does not mean that effect would not occur if the material were used in another reference for another reason.

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Barbara J. Musser whose telephone number is (571) 272-1222. The examiner can normally be reached on Monday-Thursday; alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (571)-272-1226. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.


Art Unit: 1733

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



BJM



SAM CHUAN YAO
PRIMARY EXAMINER